



## Current injection forceps **BCIP-400**

■ MIL-STD-461E/F/G

### — Introduction

---

The BCIP-400 current injection clamp is a wideband current coupling device, which can transfer the time-harmonic signal current or pulse signal current to the test device (EUT) through magnetic coupling. It has the characteristics of waveform distortion free and physical isolation from EUT. Meet the needs of the US military standard MIL-STD-461E/F/G CS114, CS115, CS116 test items, widely used in electromagnetic compatibility conduction sensitivity (immunity) test.

### — Application Areas

---




www.3c-test.com

3C TEST

### Technical Parameters

Frequency	4 kHz - 400 MHz
Maximum Input Power	100 W for 30 minutes
	150 W for 15 minutes
	200 W for 5 minutes
Connector Type	N type
Internal Diameter	40 mm
External Diameter	127 mm
Height	70 mm
Weight	2.6 Kg



BCIP-400 current injection clamp insertion loss curve

---

**Product  
Accessorie**

Current injection clamp calibrates the fixture

BCICF-400

---

**SUZHOU3CTEST ELECTRONIC CO., LTD**

Address: No. 99 E'meishan Road, SND, Suzhou, Jiangsu Province, China  
Sales Email: [globalsales@3ctest.cn](mailto:globalsales@3ctest.cn) Service Email: [service@3ctest.cn](mailto:service@3ctest.cn)  
Tel: + 86 - 512 - 68077192 Web: [www.3c-test.com](http://www.3c-test.com)

